

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	15482	(seat ) near3 (rail track )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:37
L3	4913	2 and (bracket )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:37
L4	2720	3 and (arm )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:38
L8	228	4 and (load pressure force strain stress ) near3 (sens\$4 detect\$4 transducer measur\$4 gauge cell monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:38
L11	228	8 and (frame housing casing base support\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:29
L12	38	11 and (rivet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:32
L15	38	12 and (hole slot opening aperture slit )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:03
L18	38	15 and (bolt screw nut fasten\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:03
L19	21	18 and ("u-shaped")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:12

L20	83	"6571647" "6397688" "6586948" "6732593" "6069325" "6841741" "2002/116081"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:13
L26	83	"6571647" "6397688" "6586948" "6732593" "6069325" "6841741" "2002/116081" "2002/258234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:15
L29	52	26 and (seat ) near3 (rail track )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:27
L30	37	29 and (bracket )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:28
L33	26	30 and (arm )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:28
L35	26	33 and (load pressure force strain stress ) near3 (sens\$4 detect\$4 transducer measur\$4 gauge cell monitor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:28
L39	26	35 and (frame housing casing base support\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:29
L40	6	39 and (rivet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:39
L41	2358	(seat ) near3 (rail track ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:37
L42	1366	41 and (base frame housing casing ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:37

L43	269	42 and (bracket ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:37
L44	90	43 and (arm ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:38
L47	12	44 and (load pressure force strain stress ) near3 (sens\$4 detect\$4 transducer measur\$4 gauge cell monitor\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:38
L48	10	47 and (rivet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:40